



THE ORIENTAL INSURANCE COMPANY LIMITED

REGIONAL OFFICE GUWAHATI

G.S. ROAD, ULUBARI, GUWAHATI-781007

Web site: www.orientalinsurance.org.in

CIN: U66010DL1947GOI007158

Ref. No.: OIC/GRO/2K18/74

Date: 07/03/2019

TENDER NOTICE

We are inviting sealed quotations in two bids system (technical & commercial) from reputed registered firm(s) for the supply of APC 5 KVA UPS, to be installed at our BO JORHAT. The reputed firms and their accredited/sole selling agents are requested to submit their tender(s)/quotation(s) for supply.

All these purchase to be made are subject to requirements of the company and the company reserves the right to cancel/reject/accept the proposals/tenders or increase/ decrease the number of items to be purchased.

The interested vendors/firms/dealers are therefore requested to go through the terms and conditions required for submitting the sealed quotation(s)/tender(s) and may participate in the bid by submitting the requirements within the time and date laid down for the purpose.


REGIONAL MANAGER

 शिवा

Terms and Conditions :-

- A. The intending bidder should have his own registered firms at Assam with VAT/CST Registration No. and be financially sound.
- B. Latest/recent Sales Tax Certificates issued by Competent Authority must be attached.
- C. Bidders are advised to study the terms and conditions carefully. Submission of quotations shall be deemed to have been done after careful study and examinations of the terms & conditions with full understanding of its implications.
- D. The rate of the item should be quoted in the manner as is indicated below:-
- D.1 Basic Rate.
 - D.2 Applicable rate & amount of CGST/SGST, any other taxes as prescribed under rules.
 - D.3 The items to be supplied must carry "on site warranty" and this should be mentioned in the quotation.
 - D.4 The validity of such tender(s)/quotation(s) submitted must carry minimum validity period of 30 days from the last date of submission of the said tender(s).
 - D.5 The tenderer/ quotationer should note that their tender/quotations will be rejected if any of the requirement(s) is/are found to be not complied with. Therefore, the submitted items must meet technical specifications laid down by the company as shown in **Annexure 3**.
 - D.6 Preferences will be given to vendors providing:-
 - D.7.1 Quotations submitted with price under Rate Contract approved by Government E-Market Place (GEM), Government of India.
 - D.7.2 Superior technical specifications
 - D.7.3 Reputed brand APC.
 - D.7.4 In case of tie, vendors qualification & expertise in the field with financial stability will be the deciding factor.
 - D.7.5 Only direct company people, authorised dealers, authorised agents or authorised retailer should quote and submit the quotations.
 - D.7.6 All these purchases is subject to limits of budgets set by our company and based on these, items may be dropped/increased or quotation(s)/tender(s) be may accepted / rejected.
 - D.8 Vendors may submit quotations for one or more items mentioned in the tender.
 - D.9 Procedure for Submission of Bids:-
 - D.9.1 The format for submission of tender(s)/quotation(s) should be in two bids – Technical Bid (Annexure 1) & Commercial Bid (Annexure 2).
 - D.9.1 Technical Bid should not indicate prices of the items which should be mentioned only in Commercial Bid.
 - D.9.2 The bidder must submit their companies profiles, prospectus etc.
 - D.9.1 Technical Bid should not indicate prices of the items which should be mentioned only in Commercial Bid.
 - D.9.2 The bidder must submit their companies profiles, prospectus etc.
 - D.10 The successful bidder will have to supply the items within the period specified in the purchase order without fail. No extension of time without any valid reason whatsoever will be granted.
 - D.11 Supply of items with inferior quality or other than quoted or different from required specification, poor workmanship or failure to supply in time, may results in cancellation of the purchase order at the cost of the concerned vendors/firms.
 - D.12 Any payment related to purchases will be made after satisfactory installation, testing and commissioning.

- D.13 Any discrepancies arising out of the non-compliance of the guidelines will not be entertained and the decisions taken by Regional Manager(IT) or Competent Authority of our company will be the final. He reserves the right to accept or reject any or all quotations without assigning any reason and such decisions will be binding on all bidders.
- D.14 These tender details is available at IT Department, Regional Office Guwahati or can be also downloaded from our website <http://www.orientalinsurance.org.in>.
- D.15 All tenders/quotations must address to

Regional Manager(IT)
The Oriental Insurance Co.Ltd
Regional Office Guwahati
G.S.Road Ulubari-781007, Assam

Tender can be submitted till 5 PM of 15 March 2019 either by hand or post. The company will not be held liable for any postal delay and such tender(s)/quotation(s) receipt after due date will not be considered.

Annexure-1: TECHNICAL BID

BID PARTICULARS:

- 1 Name of the bidder :
With Full Address, Contact No, Email etc.

- 2 Name & Designation of the Contact Person :
with full address, contact no. & emails etc

- 3 Annual Turnover(Rs. In Lacs) :

- 4 Type of products you are dealing in with :
their Brand names

- 5 Name of manufacturers whose products you :
are dealing in

- 6 Whether any of the manufacturer has :
cancelled your firm or imposed any penalty.
If so, reasons for the same.

- 7 List of existing clients :

- 8 Whether any dispute/issues with Clients for :
last 3 years. If so, reasons for the same.

- 9 Whether registered for Sales Tax/GST :
purpose. If so number and date of
registration. (Attach copy of Sales Tax
Certificate / GST)

- 10 Service facilities available for maintenance :

- 11 Whether you are authorised dealer of any :
Manufacturer? If yes please mention

- 12 Do you agree to all our terms & conditions :
as mentioned in the letter

Witness:

Signature

Name

Address

.....

Date

Signature

Name

Address

.....

Date

COMPANY SEAL

(NB:-The above format contains minimum required data and so additional documents & sheets may be attached to substantiate)

Annexure-2: COMMERCIAL BID

Items	:- APC 5 KVA UPS			
Descriptions	:- (state the make/model, system specifications/configurations etc.) [NB: The specifications & brand shall also be the deciding factor]			
Basic Price per unit	CGST/SGST per unit	Tax/Other (freight, installations, commissioning, entry tax, road permit, all local levies etc)	Any other	Grand Total

Warranty Period : (see terms & conditions)
 Delivery Period : (see terms & conditions)
 Validity (Quotation) : (see terms & conditions)
 Discount : (if any)
 AMC terms & conditions: (if any)

Witness:-

Signature

Name

Address

Date

Signature

Name

Address

Date

COMPANY SEAL

(NB:-The above format contains minimum required data and so additional documents & sheets may be attached to substantiate)

Annexure-3: Technical Specification

SPECIFICATION	REQUIREMENT	COMPILE (YES/NO)
Output power capacity	4.5 KWatts / 5.0 kVA	
Max Configurable Power (Watts)	4.5 KWatts / 5.0 kVA	
Nominal Output Voltage	230V	
Output Voltage Note	Configurable for 220 : 230 or 240 nominal output voltage	
Efficiency at Full Load	94.00%	
Output Voltage Distortion	Less than 5%	
Other Output Voltages	220, 240	
Topology	Double Conversion Online	
Waveform type	Sine wave	
Output Connections	(1) Hard Wire 3-wire (H N + G) (Battery Backup)	
Bypass	Built-in Static Bypass	
Nominal Input Voltage	230V	
Input frequency	40 - 70 Hz (auto sensing)	
Input Connections	Hard Wire 3-wire	
Input voltage range for main operations	160 - 285V	
Efficiency at Full Load	94.00%	
Battery type	No internal battery - uses external battery system	
Control panel	Multi-function LCD status and control console	
Emergency Power Off (EPO)	Yes	
Surge energy rating	480Joules	
Filtering	Full time multi-pole noise filtering : 0.3% IEEE surge let-through : zero clamping response time : meets UL 1449	
Operating Temperature	0 - 40 °C	
Operating Relative Humidity	0 - 95 %	
Operating Elevation	0-900meters	
Storage Temperature	-10 - 40 °C	
Storage Relative Humidity	0 - 95 %	
Storage Elevation	0-3000meters	
Audible noise at 1 meter from surface of unit	55.0dBA	
Standard warranty	2 years.	